Name _____ Rec. Instr. _____

Rec. Time _____

PLANE TRIGONOMETRY

Exam I

February 9, 2006

Page 1 (10 pts.)	**Page 2** (30 pts.)	**Page 3** (30 pts.)	**Page 4** (30 pts.)	**TOTAL** (100 pts.)

Below you will find 10 problems, each worth 10 points. Solve the problems in the space provided. When writing a solution to a problem, **show all work**. No books or notes are allowed. **Sign and submit your formula sheet with the exam.**

Problem 1. Convert the units as indicated:

(a) $12.345°$ to degrees, minutes and seconds.

(b) $\dfrac{7\pi}{24}$ (radians) to degrees, minutes and seconds.

Problem 2. Find two positive coterminal angles and one negative coterminal angle for each of the following angles:

(a) -240° (use degrees);

(b) $\dfrac{11\pi}{6}$ (use radians).

Problem 3. An angle θ, in standard position, is located in the third quadrant and has $\cot\theta = \dfrac{20}{21}$. Find the **exact** values of $\sin\theta$ and $\cos\theta$.

Problem 4. Find the **exact** values of $\sin\left(-\dfrac{5\pi}{4}\right)$ and $\cos\left(-\dfrac{5\pi}{4}\right)$.

Problem 5. Find the length of the the arc that subtends the angle 120° on a circle of diameter 10 in.

Problem 6. Prove the identity:

$$\cot t(\sec^2 t - 1) = \tan t.$$

Problem 7. The angle θ is an acute angle in the right triangle shown in the figure.

Find the **exact** values of all six trigonometric functions of θ.



Problem 8. Find the **exact** values of t, in the interval $[-2\pi, 4\pi]$, which satisfy the equation

$$\sin t = \frac{\sqrt{2}}{2}.$$

Problem 9. Find the side labeled x in the right triangle:



Problem 10. Let θ be an angle in standard position, such that the point $P(2, -3)$ is on its terminal side. Find the **exact** values of all the six trigonometric functions of θ.