

CALCULUS III

NAME _____

EXAM II

Rec. Instr. _____

FALL 1998

Rec. Time _____

TO RECEIVE CREDIT YOU MUST SHOW YOUR WORK.

(15) 1. Find the tangent plane to the given surface at the specified point.

a) To the graph of $f(x, y) = xy$ at the point $(x, y, z) = (2, 3, 6)$.

b) To $x^3y + y^3z + xz^3 = 53$ at $(x, y, z) = (1, 2, 3)$.

NAME _____

Rec. Instr. _____

(15) 2. Let $f(x, y) = y\sqrt{x^2 + y^2}$.

a) Find the gradient vector field of f .

$$\nabla f =$$

b) Find the directional derivative of f at $(x, y) = (3, 4)$ in the direction of the vector $\vec{v} = 2\vec{i} - \vec{j}$.

c) Find a vector which points in the direction that gives the largest directional derivative for f at $(3, 4)$. What is the value of this largest directional derivative?

NAME _____

Rec. Instr. _____

(20) 3. Find and classify the critical points of $f(x, y) = 4xy - y^4 - x^2$.

NAME _____

Rec. Instr. _____

- (15) 4. Use the method of Lagrange multipliers to find the largest value and the smallest value of $f(x, y) = x^2 + 2x - y^2$ on the circle $x^2 + y^2 = 16$.

NAME _____

Rec. Instr. _____

- (10) 5. Use a double integral to calculate the volume of the 3-D region which is under $z = 1 + xy$ and above the region in the first quadrant of the xy -plane which is bounded by $y = 2x$, $x = 0$ and $y = 4$.

NAME _____

Rec. Instr. _____

(10) 6. Evaluate $\int_0^2 \int_{y^2}^4 \sqrt{1+x\sqrt{x}} dx dy$ by first reversing the order of integration.

NAME _____

Rec. Instr. _____

- (15) 7. Use a double integral to calculate the volume of the 3-D region which is enclosed by the paraboloids $z = 8 - x^2 - y^2$ and $z = x^2 + y^2$. Use polar coordinates to evaluate the double integral.